




NMT SAN MINI 20/60-150

979527061

NMT MINI / Electronically regulated circulating pump

GENERAL

Kód	979527061		
Product name	NMT SAN MINI 20/60-150	M e i	/
Seal type	/	EEl	0.16
Hmotnost	1.65 kg		
H max	6.1 m	H min	0.0 m
Q max	4.0 m3/h	Q min	0.0 m3/h
	%		
Hluk [dB(A)]	≤43 dB(A)		



ELECTRICAL DATA

Zdroj napájení	1~230 V
Frekvence	50/60 Hz
Příkon	35 W
Ot./min	4800 rpm
Třída izolace	F (155 °C)
El. proud	0.32 A
Krytí	IP44
Thermal protection	NTC
Frame size	
Motor i e class	/

INSTALLATION

Médium	
Teplota média	2.0 ÷ 65.0 °C
Teplota okolí	40 °C
Stavební délka	150 mm
DN1	20
Přípojka	
Připojení	
Max. tlak	1.0 MPa

MATERIAL

Materiál ložiska	Uhlík
Materiál oběžného kola	Noryl Fe 1630PW
Materiál hydrauliky	
Materiál hřídele	AISI 420

NMT SAN MINI 20/60-150

979527061

NMT MINI / Electronically regulated circulating pump





NMT SAN MINI 20/60-150

979527061

NMT MINI / Electronically regulated circulating pump

Rozměry



NMT SAN MINI 20/60-150

979527061

NMT MINI / Electronically regulated circulating pump

Schéma zapojení

